



(Moving) Performing white horses : Assembly Instructions

© Canon Inc. © Hideharu Naitoh & G&P

Canon

1

CREATIVE PARK

<http://www.canon.com/c-park/>




View of completed model

* Turn the handle to make the horses prance in time with the trainer's baton.

■ Assembly Instructions : Twelve A4 sheets (No. 1 to No. 12)

* Build the model by carefully reading the Assembly Instructions , in the parts sheet page order.



*Hint: Trace along the folds with a ruler and an exhausted pen (no ink) to get a sharper, easier fold.

Assembly Instructions



Mountain fold(dotted line)
Make a mountain fold.




Valley fold(dashed and dotted line)
Make a valley fold.



Scissors line(solid line)
Cut along the line.



Cut in line(solid line)
Cut along the line.



Glue
The glue spot(colored dot) shows where to apply the glue.



Glue spot(Red dot)
Glue parts with the same number together.



Glue spot(Green dot)
Glue within the same part.



Glue spot(Blue dot)
Glue to the rear of the other part.

Tools and materials



Scissors, set square, glue(We recommend stick glue), pencil, used ballpoint pen, toothpicks, tweezers, (useful for handling small parts)

Assembly tip



Before gluing, crease the paper along mountain fold and valley fold lines and make sure rounded sections are nice and stiff.

Caution



Glue, scissors and other tools may be dangerous to young children so be sure to keep them out of the reach of young children.

Before starting assembly : Writing the number of each section on its back side before cutting out the sections is highly recommended.
(* This way, you can be sure which section is which even after cutting out the sections.)

→ Indicates where sections should be glued together.
→ Indicates where to insert sections.
Do not glue the sections together.
→ Indicates the order for assembling parts.



Round bar : Use to give parts a curved surface.



Tweezers : Useful in working with fine parts.




Cut along the line.




Be sure to build this model carefully.

Caution : Performing horses' tricks require two pieces of thread, approximately 20cm long. Use silk or other durable thread.



Caution : Spread glue in a thin even layer, then glue parts 7 and 8 to the base.



Glue parts 7, 8, and 10 to the reverse side of part 1.













(Moving) Performing white horses : Assembly Instructions



© Canon Inc. © Hideharu Naitoh & G&P

Canon

2



Caution : When viewed from the side, parts 16 and 17 should be aligned exactly.







(Moving) Performing white horses : Assembly Instructions

© Canon Inc. © Hideharu Naitoh & G&P

Canon

3







(Moving) Performing white horses : Assembly Instructions

© Canon Inc. © Hideharu Naitoh & G&P

Canon






4



Caution : Align the colored flaps when gluing parts 20 and 22.

Wrap the end of a 20cm piece of thread around the axle two or three times.

Glue the thread firmly in place.





(Moving) Performing white horses : Assembly Instructions



© Canon Inc. © Hideharu Naitoh & G&P

Canon


5



Parts 20 to 22



Parts 23 to 26




19

41




40



Make two sets.


39






Make two sets.

Make two sets.

42



43







(Moving) Performing white horses : Assembly Instructions


© Canon Inc. © Hideharu Naitoh & G&P

Canon



6



Make two sets.




Caution : Hold the horses' bodies (part 30) flat to prevent warping as you glue on the other parts.



Parts 40 and 41

Confirm movement.



Make two sets.





(Moving) Performing white horses : Assembly Instructions







© Canon Inc. © Hideharu Naitoh & G&P

Canon





7







Caution :
Fold the legs carefully as
you glue them together
to prevent twisting.



Make two sets.



Make two sets.







(Moving) Performing white horses : Assembly Instructions


© Canon Inc. © Hideharu Naitoh & G&P

Canon


8







Caution : Glue the legs so that they are exactly aligned when viewed from the side.



Caution : Do not attach part 28 and parts 42 through 44 at this stage.



Make two sets.






(Moving) Performing white horses : Assembly Instructions

© Canon Inc. © Hideharu Naitoh & G&P

Canon

9






Insert the support under each horse into the square hole in the base and glue the hind legs in place.

* Horses are easier to attach if you glue one leg at a time.

From inside the base, align part 39 with flaps on part 41 and glue firmly in place.

* Using an empty box or a similar item for a base makes it easier to work with this model when it is upside down.



Glue the front (part 3) to the base.

Caution : Do not attach the back (part 6) at this stage.





(Moving) Performing white horses : Assembly Instructions

© Canon Inc. © Hideharu Naitoh & G&P




Canon

10



Caution : Position part 48 aligned with the upper and lower inner wings on the right side (marked with a star) and glue in place.

Insert the end of the 20cm thread into the slot and glue it firmly in place.






(Moving) Performing white horses : Assembly Instructions


© Canon Inc. © Hideharu Naitoh & G&P

Canon



11





Run the thread through the square hole and glue the trainer firmly in place on the base.




Make two sets.



With parts A and B in positioned as illustrated below, insert both threads through the slot on part 27 and lightly take up the tension on both threads.



With both threads inserted into part 27, gently turn the handle to move the trainer's arms and confirm the movement of the horses.



Apply glue to part 27 and glue thread firmly in place. Trim off any dangling ends of thread.




(Moving) Performing white horses : Assembly Instructions


© Canon Inc. © Hideharu Naitoh & G&P

Canon

12



Finished!



Glue on all the remaining parts.